

TC50-eTOOL

ALL-IN-ONE TROUBLESHOOTING PORTABLE TOOL

- Wire fault localization
- Phase order check
- Wire continuity / insulation tests
- Voltage / current measure
- Diode testing
- Thermal imaging
- All avionics adapters included
- Smartphone included
- Battery powered



ISO9001/EN9100/AS9100/JISQ9100

in partnership with



TC50-eTOOL

ALL-IN-ONE TROUBLESHOOTING PORTABLE TOOL

Ergonomic Tool

- One tool for all generic TSM electrical tasks
- User friendly interface
- Use any device or included rugged
- SmartPhone to access user interface.
- Socket highlight on function selection
- All wiring and adapters embedded within the tool

TOOL CHARACTERISTICS

- Waterproof: IP65
- Operating: -20 °C / +40 °C
- Weight: 5 Kg
- Autonomy: 5 h
- Dimensions: 305 x 270 x 194 mm

Included accessories

- Current clamp
- Wire adapters kit
- Rugged smartphone
- Worldwide charger

WIRE FAULT LOCALIZATION

Using the best in class technology: OMTDR (Orthogonal Multi-tone Time Domain Reflectometry) for:

- Detection and localization of Hard faults - Open Circuits and Short Circuits
- Measurement of Impedance variations
- High precision fault localization up to 0.1%

Suitable for aeronautic applications:

- Validated on most used aeronautic cable types
- Integrated and upgradable cable database
- Plug & Test on a wire network with no risk of cable alteration

OPERATIONAL PERFORMANCES

- Voltage Measure
 - 0 to 260 Vac / 400 Vdc
 - 50 Hz to 3 kHz
 - 5% precision
- Current Measure
 - 0 to 30 A (AC/DC)
 - 5% precision
- Resistor Measure Low Current
 - 10 Ω to 200 k Ω , 1% precision
 - 200 k Ω to 2 M Ω , 5% precision
- Resistor Measure High current
 - 1 A measure current
 - 20 m Ω to 10 Ω , 1% precision
- Phase order check
 - 15 Vac/230 Vac
 - 50 Hz to 3 kHz
- Insulation test
 - 0,5 M Ω to 200 M Ω
 - Test voltage: 250 Vdc / 500 Vdc
 - 5% precision
- Diode testing
- Wire Fault Localization
 - Wire length from 1 m to 100 m
 - Up to 10 cm precision
- Thermal imaging for abnormal heating analysis
 - From -20 to 120 °C
 - FLIR™ technology with MSX function (real and thermal picture superposition)

Wire Fault Localization



Powered by Nicomatic
SmartCo Solutions

Ergonomic Tool



Web User Interface
Simple web user interface accessible through any device



TC50-eTool

HEAD OFFICE:

Exail Aerospace SAS

ZAC de Saint Martin du Touch
6 Impasse Alice Guy
31300 Toulouse - FRANCE
+33 5 62 11 17 17 | gse@exail.com

www.exail.com

exail